Sennheiser Frequency Ranges v 4.2 July 2021

Belgium

- All framed frequency ranges are usable without a license.**
- For the latest regulations visit: www.apwpt.org.
- For almost all other frequency ranges a license can be applied for via radiovergunningen@bipt.be.

The Music Alliance in total harmony

Series	470-693 MHz	700-821 MHz*	DG 800	832-863 MHz*	SRD	DG 1.8 GHz	1.9 GHz	2.4 GHz
D	**XSW-D**							2G4
A	**XSW 1 & 2**							
	A (548–572 MHz)			E (82 –832 MHz, 863–865 Hz)				
	B (614–638 MHz)							
	GB (606–630 MHz)							
A	**EW G4 100 / EW G4 EM**							
	A1 (470-516 MHz)							
	A (516–558 MHz)			E (82 –832 MHz, 863–865 Hz)		1G8		
	G (566–608 MHz)							
	B (626–668 MHz)							
	AS (516–558 MHz)							
	GB (606–648 MHz)							
A	**EW G4 300 & 500**							
	AW+ (470–558 MHz)							
	GW1 (558–608 MHz)							
	GBW (606–678 MHz)							
	AS (516–558 MHz)							
	GW (558–626 MHz)							
	BW (626–698 MHz)							
D	**EW-D**							
	R1-6 (520–576 MHz)			U1/5 823–832 MHz, 863–865 MHz)		Y1-3		
	S1-7 (606–662 MHz)							
	S7-10 (662–693 MHz)							
	Q1-6 (470-526 MHz)							
	R4-9 (552–607 MHz)							
	S4-7 (630–662 MHz)							

A Analogue D Digital
Advised Frequency Range

1G8 = 1785-1800 MHz
SRD = Short Range Devices

DG = Duplex Gap
* = Mobile Phone 3G, 4G, 5G Network

** Disclaimer.
Always ask the relevant wireless regulatory authority for the current rules governing frequency usage and follow these rules. This applies in particular if the effective radiated power (ERP) of your transmitter exceeds 50 mW. In addition, ask for the exact frequency allocations and only use the allocated frequencies. Apply for an individual licence if necessary, and do not put your transmitters into operation before your individual licence has arrived.

Sennheiser Frequency Ranges v 4.2 July 2021

Germany

- All framed frequency ranges are usable without a license.**
- For the latest regulations visit: www.apwpt.org.
- For almost all other frequency ranges a license can be applied for. Please check the latest handout on www.apwpt.org.

The Music Alliance in total harmony

Series	470-693 MHz	700-821 MHz*	DG 800	832-863 MHz*	SRD	DG 1.8 GHz	1.9 GHz	2.4 GHz
D	**XSW-D**							2G4
A	**XSW 1 & 2**		E (82	–832 MHz, 863–865 MHz)				
	A (548–572 MHz) **B** (614–638 MHz) **GB** (606–630 MHz)							
A	**EW G4 100 / EW G4 IEM**		E (82	–832 MHz, 863–865 MHz)		1G8		
	A1 (470-516 MHz) **A** (516–558 MHz) **G** (566–608 MHz) **B** (626–668 MHz) **AS** (520–558 MHz) **GB** (606–648 MHz)							
A	**EW G4 300 & 500**							
	AW+ (470-558 MHz) **GW1** (558–608 MHz) **GBW** (606–678 MHz) **AS** (520–558 MHz) **GW** (558–626 MHz) **BW** (626–698 MHz)							
D	**EW-D**		U1/5	823–832 MHz, 863–865 MHz)		Y1-3		
	R1-6 (520–576 MHz) **S1-7** (606–662 MHz) **S7-10** (662–693 MHz) **Q1-6** (470-526 MHz) **R4-9** (552–607 MHz) **S4-7** (630–662 MHz)							

A Analogue D Digital
Advised Frequency Range

1G8 = 1785-1800 MHz
SRD = Short Range Devices

DG = Duplex Gap
* = Mobile Phone 3G, 4G, 5G Network

** Disclaimer.
Always ask the relevant wireless regulatory authority for the current rules governing frequency usage and follow these rules. This applies in particular if the effective radiated power (ERP) of your transmitter exceeds 50 mW. In addition, ask for the exact frequency allocations and only use the allocated frequencies. Apply for an individual licence if necessary, and do not put your transmitters into operation before your individual licence has arrived.

Sennheiser Frequency Ranges v 4.2 July 2021

The Netherlands

- All visible frequency ranges are allowed in The Netherlands without a license**, for the latest regulations visit: www.apwpt.org.

The Music Alliance in total harmony

Series	470-693 MHz	700-821 MHz*	DG 800	832-863 MHz*	SRD	DG 1.8 GHz	1.9 GHz	2.4 GHz
D	**XSW-D**							2G4
A	**XSW 1 & 2**							
	A (548–572 MHz)			E (823–832 MHz, 863–865 MHz)				
	B (614–638 MHz)							
	GB 606–630 MHz)							
A	**EW G4 100 / EW G4 IEM**							
	A1 (470-516 MHz)			E (823–832 MHz, 863–865 MHz)		1G8		
	A (516–558 MHz)							
	G (566–608 MHz)							
	B (626–668 MHz)							
	AS (520–558 MHz)							
	GB (606–648 MHz)							
A	**EW G4 300 & 500**							
	AW+ (470-558 MHz)							
	GW1 (558–608 MHz)							
	GBW (606–678 MHz)							
	AS (520–558 MHz)							
	GW (558–626 MHz)							
	BW (626–698 MHz)							
D	**EW-D**							
	R1-6 (520–576 MHz)			U1/5 (823–832 MHz, 863–865 MHz)		Y1-3		
	S1-7 (606–662 MHz)							
	S7-10 (662–693 MHz)							
	Q1-6 (470-526 MHz)							
	R4-9 (552–607 MHz)							
	S4-7 (630–662 MHz)							

A Analogue D Digital

Advised Frequency Range

1G8 = 1785-1800 MHz

SRD = Short Range Devices

DG = Duplex Gap

* = Mobile Phone 3G, 4G, 5G Network

** Disclaimer.
Always ask the relevant wireless regulatory authority for the current rules governing frequency usage and follow these rules. This applies in particular if the effective radiated power (ERP) of your transmitter exceeds 50 mW. In addition, ask for the exact frequency allocations and only use the allocated frequencies. Apply for an individual licence if necessary, and do not put your transmitters into operation before your individual licence has arrived.

Sennheiser Frequency Ranges v 4.2 July 2021

The Music Alliance
in total harmony

Series	470-693 MHz	700-821 MHz*	DG 800	832-863 MHz*	SRD		DG 1.8 GHz		1.9 GHz		2.4 GHz
D	**XSW-D**										
											2G4
A	**XSW 1 & 2**										
	A (548–572 MHz)			E (823–832 MHz, 863–865 MHz)							
	B (614–638 MHz)										
	GB (606–630 MHz)										
A	**EW G4 100 / EW G4 IEM**										
	A1 (470-516 MHz)			E (823–832 MHz, 863–865 MHz)							
	A (516–558 MHz)										
	G (566–608 MHz)										
	B (626–668 MHz)										
	AS (520–558 MHz)										
	GB (606–648 MHz)										
A	**EW G4 300 & 500**										
	AW+ (470-558 MHz)										
	GW1 (558–608 MHz)										
	GBW (606–678 MHz)										
	AS (520–558 MHz)										
	GW (558–626 MHz)										
	BW (626–698 MHz)										
D	**EW-D**										
	R1-6 (520–576 MHz)			U1/5 (823–832 MHz, 863–865 MHz)							
	S1-7 (606–662 MHz)										
	S7-10 (662–693 MHz)										
	Q1-6 (470-526 MHz)										
	R4-9 (552–607 MHz)										
	S4-7 (630–662 MHz)										

A Analogue D Digital
Advised Frequency Range

1G8 = 1785-1800 MHz
SRD = Short Range Devices

DG = Duplex Gap
* = Mobile Phone 3G, 4G, 5G Network

** Disclaimer.
Always ask the relevant wireless regulatory authority for the current rules governing frequency usage and follow these rules. This applies in particular if the effective radiated power (ERP) of your transmitter exceeds 50 mW. In addition, ask for the exact frequency allocations and only use the allocated frequencies. Apply for an individual licence if necessary, and do not put your transmitters into operation before your individual licence has arrived.